

Micrometer

The origin of Mitutoyo's trustworthy brand of small tool instruments

Color-Coded Ratchet and Speeder Covers

- Ratchet and speeder covers in a choice of seven colors for use in instrument identification control schemes: red, blue, yellow, green, brown, black and gray.

SPECIFICATIONS

Ratchet and speeder covers



Analog type: 0 to 300 mm

Order No.		Color	Material
Ratchet	Speeder		
04GZA239	04GAA260	Gray	Plastic
985056	301708	Black	
985061	301709	Red	
985081	301713	Blue	
985071	301711	Yellow	
985076	301712	Green	
985066	301710	Brown	
950700	—	Gray	Steel

Analog/Digimatic types: 300 to 1000 mm

Order No.		Color	Material
Ratchet	Speeder		
04GZA243	04GAA260	Gray	Plastic
—	301708	Black	
—	301709	Red	
—	301713	Blue	
—	301711	Yellow	
—	301712	Green	
—	301710	Brown	
950701	—	Gray	Steel

Digimatic type 0 to 300 mm*

Order No.*		Color	Material
Ratchet	Speeder		
04AZB661	04GAA260	Gray	Plastic
04GZA241	04GAA260	Gray	
—	301708	Black	
—	301709	Red	
—	301713	Blue	
—	301711	Yellow	
—	301712	Green	
—	301710	Brown	Steel
951588	—	Gray	

* Cannot be used for analog types.

Color-coded speeder covers



Order No.	Color
04GAA899	Black
04GAA900	Red
04GAA901	Yellow
04GAA902	Green
04GAA903	Blue
04AAB208	Gray

Mitutoyo

B-63

Mitutoyo reserves the right to change any or all aspects of any product specification, including prices, designs and service content, without notice.



156-105-10



156-101-10

Micrometer Stands
SERIES 156

- Dedicated stand for micrometers.
- Designed to allow benchtop use of hand micrometers or other gages which have frames suitable for gripping by the clamp. Reduces the influence of temperature changes due to body heat, enabling higher-accuracy measurement.



156-105-10



156-101-10



156-102

SPECIFICATIONS

Order No.	Measuring range of standard outside micrometer	Remarks
156-101-10	15 - 100 mm (0.6- 4 in)*	Adjustable angle type
156-105-10	25, 50 mm (1, 2 in)	Fixed angle type
156-102	100 - 300 mm (4 - 12 in)	Vertical type
156-103	325 - 1000 mm (13 - 40 in)	Vertical type

* Items that cannot be mounted on these stands
(Order No. 406-253-30, 323-253-30, 331-254-30, 342-254-30, 342-264-30, 369-253-30, 422-232-30, 422-233-30, etc.)

DIMENSIONS



